

# The Intersection of Complex Care and Hospital Medicine: Opportunities to Advance Health for Chronically Ill Populations

David Y. Ming, MD,<sup>a</sup> Mary L. Ehlenbach, MD,<sup>b</sup> Carla Falco, MD,<sup>c</sup> Ryan J. Collier, MD, MPH<sup>b</sup>

Children with medical complexity (CMC) are a high-need, high-cost population representing 1% of all children yet accounting for nearly one-third of all child health-related costs.<sup>1</sup> Nearly half of health costs for CMC are attributable to hospital care<sup>2</sup>; 30-day readmission rates for CMC are 4 times higher than that for non-CMC,<sup>3</sup> and 26% of hospital days and 43% of in-hospital deaths are attributable to CMC.<sup>4</sup> High hospital use by CMC is a consequence of multiple chronic conditions, severe functional limitations, reliance on long-term medical technology for daily living (eg, feeding tube in a child with severe neurologic impairment), and high-intensity care needs supported by multispecialty care and home-based services (eg, home nursing) that are typical for this patient population.<sup>1</sup> Parents of CMC take responsibility for the vast majority of caregiving and face many challenges, including inadequate insurance, lack of a patient-centered medical home, and insufficient hours of coverage for home health care workers.<sup>5</sup> As a result of intense financial and emotional stress, caregivers themselves experience physical and mental health problems that can compromise their ability to effectively perform caregiving tasks.<sup>6</sup> Additionally, direct clinical encounters for CMC in health care settings are often inefficient and poorly coordinated.<sup>5</sup>

Because the traditional health care delivery system often fails to meet the needs of CMC and their families, because CMC frequently receive acute hospital care, and because care of CMC is a core competency of pediatric hospital medicine (PHM), pediatric hospitalists have an essential role to play in the development of innovative solutions to improve care for CMC.<sup>7</sup> In response, hospitalists have been integral in refining and studying structured complex care programs for CMC.<sup>8,9</sup> These programs are frequently focused on comprehensive care coordination, interdisciplinary collaboration, improved access to care, facilitated communication between providers and parents, and enhanced support during transitions of care. Early evaluations of complex care programs have demonstrated reductions in health care use, lower costs for many participants, and a better patient and family experience.<sup>8,10</sup> Complex care program efforts to improve care for CMC are well aligned with broader shifts toward high-value care at the population level (ie, better health outcomes and a better experience for children and families and providers at lower cost). As health systems face increasing pressure to shift care to lower-cost settings and strengthen transitions between sites of care, hospitalists have a key role in the ambitious aim to deliver value-based care and advance health for the most complex and challenging pediatric patient populations.



www.hospitalpediatrics.org

DOI: <https://doi.org/10.1542/hpeds.2020-0079>

Copyright © 2020 by the American Academy of Pediatrics

<sup>a</sup>Departments of Medicine and Pediatrics, School of Medicine, Duke University, Durham, North Carolina; <sup>b</sup>Department of Pediatrics, University of Wisconsin–Madison, Madison, Wisconsin; and <sup>c</sup>Department of Pediatrics, Baylor College of Medicine, Houston, Texas

Address correspondence to David Y. Ming, MD, Department of Pediatrics, School of Medicine, Duke University, DUMC Box 102376, Durham, NC 27710. E-mail: david.ming@duke.edu

HOSPITAL PEDIATRICS (ISSN Numbers: Print, 2154-1663; Online, 2154-1671).

**FINANCIAL DISCLOSURE:** The authors have indicated they have no financial relationships relevant to this article to disclose.

**FUNDING:** Dr Ming's contributions were supported by the National Institutes of Health, National Heart, Lung, and Blood Institute (K12HL13830). Funded by the National Institutes of Health (NIH).

**POTENTIAL CONFLICT OF INTEREST:** The authors have indicated they have no potential conflicts of interest to disclose.

Dr Ming conceptualized and designed the manuscript, drafted the initial manuscript, and reviewed and revised the manuscript; Drs Ehlenbach, Falco, and Collier reviewed and revised the manuscript; and all authors approved the final manuscript as submitted.

## LIMITATIONS OF CURRENT COMPLEX CARE PROGRAMS

Despite promising findings from studies of complex care programs, critical gaps remain. There are up to 3 million CMC in the United States,<sup>11</sup> yet only a fraction of the national CMC population has been reached by existing complex care programs. Most program implementation to date has been focused on small, narrowly defined groups of eligible CMC, with care centered around academic medical centers. Yet, most CMC supported by complex care programs live >60 miles away from tertiary care centers<sup>12</sup>; thus, improved coordination of care across long distances is central to expanding access to comprehensive complex care services.

Despite its primary goals of coordination, complex care for CMC is frequently fragmented or incompletely integrated with the entirety of the care landscape. In addition to patient-level care fragmentation, complex care programs themselves can be isolated. Efforts in the hospital, outpatient, and community settings often involve separate, nonoverlapping clinical staff, leadership, and strategies; the separate siloes of inpatient care and clinic-based outpatient care impede necessary collaboration to deliver seamless coordination across the full care continuum. Approaches to bridge this inpatient-outpatient divide have yet to be broadly disseminated and implemented at the scale needed to reach all CMC.

## THE CASE FOR A POPULATION HEALTH APPROACH BY HOSPITALISTS FOR THE CARE OF CMC

Although achieving cohesive integration of care across the inpatient-outpatient continuum can be a daunting, so-called “wicked problem”<sup>13</sup> (a term describing problems without straightforward solutions) existing frameworks can be leveraged to contribute to solutions. A population health framework’s (Fig 1)<sup>14</sup> focus on the health outcomes of groups of individuals, on policies and programs at patient and social levels, and on whole life span patterns of health determinants is an

ideal approach for tackling the challenges of caring for CMC. Similar to other adult and pediatric populations for whom social determinants have an outsized impact on overall health, health for CMC is not solely a product of the health care system; rather, a healthy life also hinges on the accumulation of better outcomes across multiple domains and sectors outside the traditional health care system (eg, community-based services and education).<sup>15</sup> As a result, integrated care (seamlessly coordinated care not only within the health care sector [vertical care integration] but also between medical and nonmedical sectors involved in each child’s care [horizontal or cross-sector care integration]) is increasingly recognized as a promising approach to translate population health principles into real-world systems of comprehensive care for children.<sup>16</sup>

As shifts toward integrated care and population health for CMC continue, it is reasonable to wonder how prominent a role, if any, pediatric hospitalists should play. The hospital medicine specialty has successfully established itself as the leader in inpatient care. However, resting on our successes would be limiting because hospitalists are well equipped to provide integrated care for CMC. At a high level, the broad health care landscape continues to rapidly change, and hospitalists’ continued involvement will be essential for care innovations for CMC. At the opposite end, hospitalist engagement at the clinical frontlines in comprehensive population health models is equally critical, particularly when medical and nonmedical drivers of health intersect during acute hospitalizations. For example, pediatric hospitalists often manage challenging cases of CMC who are medically ready to return home but lack access to systems of support (eg, home health, home nursing, and transportation); these gaps lead to prolonged hospitalization with risks for hospital-acquired complications that can threaten the child’s health and safety on the return home.


Hospitalists and other inpatient clinicians who often care for CMC (eg, intensivists) sit at the crux of the most costly phase of

health care (ie, acute hospitalization) and the most vulnerable moment along the health trajectory of CMC (ie, exacerbation of chronic illnesses severe enough to warrant hospitalization). Delivering better care and better outcomes for CMC during and beyond acute hospitalizations will require hospitalists to think broadly and champion population health solutions that extend beyond hospital walls.<sup>17</sup> Problem-solving for such an expansive challenge will require the efforts of the entire PHM community, including frontline clinicians, innovators, and leaders.

## Considerations for PHM Frontline Clinicians

Successfully shifting to integrated care and population health models for CMC will not be possible without engagement from hospitalists on the clinical frontlines. Hospitalist insights are essential to improve tools for the inpatient setting that facilitate understanding of the multifaceted root causes that bring CMC into the hospital, keep them there, and support them getting home in as close to a state of health as possible. Practical steps that hospitalists can take include implementing new tools in the hospital (eg, shared plans of care),<sup>18</sup> leading efforts to strengthen transitions of care between home and hospital, integration with outpatient complex care, community and specialty providers, and advocacy for interdisciplinary inpatient care models.<sup>9</sup> The traditional inpatient care system was not designed to optimize health for CMC; however, practicing hospitalists are changemakers well positioned to adapt processes to better meet their unique needs across their life course.

Advancing population health for CMC also may generate new clinical opportunities for hospitalists beyond traditional inpatient rounding. Recent examples of clinical roles that highlight the capacity for hospitalists to innovate as health systems evolve include comprehensive care physicians who manage patients in and out of hospitalizations,<sup>19</sup> pediatric medical or surgical comanagement,<sup>20</sup> and dedicated pediatric complex care inpatient services.<sup>9</sup>



**FIGURE 1** Adaptation to the County Health Rankings model for the CMC population. Adapted with permission from Remington PL, Catlin BB, Gennuso KP. The county health rankings: rationale and methods. *Popul Health Metr.* 2015;13:11.

### Considerations for PHM Innovators and Leaders

With growing recognition of the need to integrate health care with other drivers of a complex patient's well-being (eg, social

determinants and parent or caregiver health; Fig 1), the expanding focus of PHM from the hospital to the broader health ecosystem, although paradoxical, has become necessary. Hospitalist innovators

and leaders are, fortunately, well positioned to address this conundrum. PHM's expertise in the care of children who are acutely and chronically ill, leadership in systems thinking, focus on family-centered care,

and culture that embraces change and continuous improvement are critical assets to facilitate application of complex care principles to broader populations of CMC in community settings beyond tertiary care centers. Additionally, pediatric hospitalists' experience leading hospital initiatives that leverage scientific areas of relevance for CMC population health (eg, data science, improvement science, and implementation science) will facilitate adaptation, implementation, and rigorous real-world evaluation of integrated care models for CMC. Finally, PHM innovators and leaders will need to translate these learnings into policy advocacy. For example, the recent passage of the bipartisan federal Advancing Care for Exceptional Kids Act to enhance access to coordinated care across providers, services, and state lines for CMC highlights the tremendous potential for hospitals, health systems, providers, and patients and families to improve health together for CMC.

## CONCLUSIONS

Caring for CMC will always be central to PHM, and ample opportunities exist to advance the work that has been started. Regardless of one's interests (clinical, innovation, leadership, policy, or research), this is an exciting time to push traditional hospitalist boundaries to advance health for the CMC population.

## REFERENCES

1. Kuo DZ, Houtrow AJ; Council on Children with Disabilities. Recognition and management of medical complexity. *Pediatrics*. 2016;138(6):e20163021
2. Berry JG, Hall M, Neff J, et al. Children with medical complexity and Medicaid: spending and cost savings. *Health Aff (Millwood)*. 2014;33(12):2199–2206
3. Berry JG, Agrawal R, Kuo DZ, et al. Characteristics of hospitalizations for patients who use a structured clinical care program for children with medical complexity. *J Pediatr*. 2011;159(2):284–290
4. Simon TD, Berry J, Feudtner C, et al. Children with complex chronic conditions in inpatient hospital settings in the United States. *Pediatrics*. 2010;126(4):647–655
5. Kuo DZ, McAllister JW, Rossignol L, Turchi RM, Stille CJ. Care coordination for children with medical complexity: whose care is it, anyway? *Pediatrics*. 2018;141(suppl 3):S224–S232
6. Edelstein H, Schippke J, Sheffe S, Kingsnorth S. Children with medical complexity: a scoping review of interventions to support caregiver stress. *Child Care Health Dev*. 2017;43(3):323–333
7. American Board of Pediatrics. Pediatric hospital medicine content outline: in-training, initial certification, and maintenance of certification exams. 2019. Available at: [https://www.abp.org/sites/abp/files/pdf/hospital\\_medicine\\_content\\_outline.pdf](https://www.abp.org/sites/abp/files/pdf/hospital_medicine_content_outline.pdf). Accessed February 23, 2020
8. Coller RJ, Klitzner TS, Lerner CF, et al. Complex care hospital use and postdischarge coaching: a randomized controlled trial. *Pediatrics*. 2018;142(2):e20174278
9. White CM, Thomson JE, Statile AM, et al. Development of a new care model for hospitalized children with medical complexity. *Hosp Pediatr*. 2017;7(7):410–414
10. Mosquera RA, Avritscher EB, Samuels CL, et al. Effect of an enhanced medical home on serious illness and cost of care among high-risk children with chronic illness: a randomized clinical trial. *JAMA*. 2014;312(24):2640–2648
11. Children's Hospital Association. CARE award: 2018 preliminary results [press release]. 2018. Available at: [https://www.childrenshospitals.org/-/media/Files/CHA/Main/Programs\\_and\\_Services/Quality\\_Safety\\_and\\_Performance/CARE/care\\_090418\\_executive\\_summary.pdf?la=en&hash=29A03CA98161D8D67DAEFA184D44ACE81BBA6BEA](https://www.childrenshospitals.org/-/media/Files/CHA/Main/Programs_and_Services/Quality_Safety_and_Performance/CARE/care_090418_executive_summary.pdf?la=en&hash=29A03CA98161D8D67DAEFA184D44ACE81BBA6BEA). Accessed April 21, 2020
12. Kuo DZ, Berry JG, Glader L, Morin MJ, Johanningmeier S, Gordon J. Health services and health care needs fulfilled by structured clinical programs for children with medical complexity. *J Pediatr*. 2016;169:291–296.e1
13. Buchanan R. Wicked problems in design thinking. *Design Issues*. 1992;8(2):5–21
14. Remington PL, Catlin BB, Gennuso KP. The county health rankings: rationale and methods. *Popul Health Metr*. 2015;13:11
15. Barnert ES, Coller RJ, Nelson BB, et al. A healthy life for a child with medical complexity: 10 domains for conceptualizing health. *Pediatrics*. 2018;142(3):e20180779
16. Wolfe I, Satherley RM, Scotney E, Newham J, Lingam R. Integrated care models and child health: a meta-analysis. *Pediatrics*. 2020;145(1):e20183747
17. Fritz CQ, Brittan MS, Keller D. Inpatient population health-defining the denominator. *JAMA Pediatr*. 2020;174(3):231–232
18. McAllister JW. *Achieving a Shared Plan of Care with Children and Youth with Special Health Care Needs: An Implementation Guide*. 2014. Available at: [https://www.lpfch.org/sites/default/files/field/publications/achieving\\_a\\_shared\\_plan\\_of\\_care\\_full.pdf](https://www.lpfch.org/sites/default/files/field/publications/achieving_a_shared_plan_of_care_full.pdf). Accessed February 26, 2020
19. Meltzer DO, Ruhnke GW. Redesigning care for patients at increased hospitalization risk: the comprehensive care physician model. *Health Aff (Millwood)*. 2014;33(5):770–777
20. Rappaport DI, Rosenberg RE, Shaughnessy EE, et al. Pediatric hospitalist comanagement of surgical patients: structural, quality, and financial considerations. *J Hosp Med*. 2014;9(11):737–742

**The Intersection of Complex Care and Hospital Medicine: Opportunities to Advance Health for Chronically Ill Populations**

David Y. Ming, Mary L. Ehlenbach, Carla Falco and Ryan J. Collier

*Hospital Pediatrics* 2020;10;715

DOI: 10.1542/hpeds.2020-0079 originally published online July 20, 2020;

<b>Updated Information &amp; Services</b>	including high resolution figures, can be found at: <a href="http://hosppeds.aappublications.org/content/10/8/715">http://hosppeds.aappublications.org/content/10/8/715</a>
<b>Supplementary Material</b>	Supplementary material can be found at:
<b>References</b>	This article cites 17 articles, 9 of which you can access for free at: <a href="http://hosppeds.aappublications.org/content/10/8/715#BIBL">http://hosppeds.aappublications.org/content/10/8/715#BIBL</a>
<b>Subspecialty Collections</b>	This article, along with others on similar topics, appears in the following collection(s): <b>Hospital Medicine</b> <a href="http://www.hosppeds.aappublications.org/cgi/collection/hospital_medicine_sub">http://www.hosppeds.aappublications.org/cgi/collection/hospital_medicine_sub</a>
<b>Permissions &amp; Licensing</b>	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: <a href="http://www.hosppeds.aappublications.org/site/misc/Permissions.xhtml">http://www.hosppeds.aappublications.org/site/misc/Permissions.xhtml</a>
<b>Reprints</b>	Information about ordering reprints can be found online: <a href="http://www.hosppeds.aappublications.org/site/misc/reprints.xhtml">http://www.hosppeds.aappublications.org/site/misc/reprints.xhtml</a>

# Hospital Pediatrics®

AN OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

**The Intersection of Complex Care and Hospital Medicine: Opportunities to Advance Health for Chronically Ill Populations**

David Y. Ming, Mary L. Ehlenbach, Carla Falco and Ryan J. Coller

*Hospital Pediatrics* 2020;10;715

DOI: 10.1542/hpeds.2020-0079 originally published online July 20, 2020;

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://hosppeds.aappublications.org/content/10/8/715>

Hospital Pediatrics is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. Hospital Pediatrics is owned, published, and trademarked by the American Academy of Pediatrics, 345 Park Avenue, Itasca, Illinois, 60143. Copyright © 2020 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 1073-0397.

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®

